

## SAFETY DATA SHEET

# MURANO SILVER/GOLD/BRONZ

## 1 IDENTIFICATION OF THE MIXTURE AND THE COMPANY

### 1.1 Product Identifier

Product name MURANO SILVER/GOLD/BRONZ

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Description/Application Decorative mineral coating

### 1.3 Details of the Australian importer

Name: Calce Company Pty Ltd  
Full address: 24/13-15 Baker Street, Banksmeadow NSW 2019, Australia  
Phone: +61 2 9666 4492  
E-mail address: info@calcecompany.com

### Details of the manufacturer and supplier of the safety data sheet

Name: Bericalce Srl  
Full address: Via Piave 23, 36033 Isola Vicentina (VI), Italy  
Phone: +39 0444 929102  
E-mail address of the competent person: info@bericalce.com

### 1.4 Emergency telephone number

For urgent inquiries refer to: Emergency Services (Australia) 000  
Poisons Information Centre (Australia) 13 11 26 (24 h / 7 days)

## 2 HAZARD IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product is classified as hazardous according to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adaptations). The product thus requires a safety data sheet which complies with the provisions of Regulation (EC) n. 1907/2006 and subsequent amendments. Further information on the risks to health and/or the environment are given in sec. 11 and 12 of this sheet.

Hazard classification and indication:

|                                                                      |      |                                      |
|----------------------------------------------------------------------|------|--------------------------------------|
| Serious eye damage, category 1                                       | H318 | It causes serious eye damage.        |
| Skin irritation, category 2                                          | H315 | It causes skin irritation.           |
| Specific toxicity for target organs<br>- single exposure, category 3 | H335 | It may cause respiratory irritation. |

### 2.2 Label elements

Danger labeling under Regulation (EC) 1272/2008 (CLP) and subsequent amendments.



Warning



Danger

**MURANO SILVER/GOLD/BRONZ**

---

|               |                                                                                                    |
|---------------|----------------------------------------------------------------------------------------------------|
| Hazard:       |                                                                                                    |
| H318          | It causes serious eye damage.                                                                      |
| H315          | It causes skin irritation.                                                                         |
| H335          | It may cause respiratory irritation.                                                               |
| Safety advice |                                                                                                    |
| P264          | To wash hands thoroughly with soap and water after use.                                            |
| P280          | Wear protective gloves and protect eyes / face.                                                    |
| P304+P340     | IF INHALED: move the victim to fresh air and keep at rest in a position comfortable for breathing. |
| P310          | Immediately call a POISON CENTER or get medical advice/attention.                                  |
| P403+P233     | Keep container tightly closed and in a well-ventilated place..                                     |
| It contains:  | Hydrated lime                                                                                      |

**2.3. Other dangers**

Based on available data, the product does not contain any PBT or vPvB substances as more than 0,1%

**3 COMPOSITION / INFORMATION ON INGREDIENTS****3.1 Substance**

No relevant information.

**3.2 Mixtures**

It contains:

| Identification           | Conc. % | Classification 1272/2008 (CLP).                            |
|--------------------------|---------|------------------------------------------------------------|
| <u>Calcium Carbonate</u> |         |                                                            |
| CAS. 471-34-1            | 40 - 50 | Substance with a community exposure limit in the workplace |
| CE. 207-439-9            |         |                                                            |
| INDEX. -                 |         |                                                            |
| <u>Hydrated Lime</u>     |         |                                                            |
| CAS. 1305-62-0           | 20 - 30 | Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335        |
| CE. 215-137-3            |         |                                                            |
| INDEX. -                 |         |                                                            |

The full text of hazard (H) is specified in section 16 of the sheet.

**4 FIRST AID MEASURES****4.1 Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention.

Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take precautions for rescue workers.

**4.2 Most important symptoms and effects, both acute and delayed.**

For symptoms and effects caused by the contained substances, see chap. 11.

**4.3 Indication of any immediate medical attention and special treatment needed.**

Follow doctor's instructions.

# MURANO SILVER/GOLD/BRONZ

---

## 5 FIREFIGHTING MEASURES

### 5.1 Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be conventional: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use water.

### 5.2 Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

### 5.3 Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health.

Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

EQUIPMENT

Normal fire fighting clothing, i.e. self-contained open circuit positive pressure compressed air breathing apparatus (EN 137), fire kit (EN 469), gloves (EN 659) and boots (HO A29 or A30).

## 6 ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Block the leak if there is no danger. Wear suitable protective equipment (including personal protective equipment referred to in sec. 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These directions are valid both for the workers to work which for emergency interventions.

### 6.2 Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3 Methods and material for containment and cleaning up

Vacuum the spilled product into a suitable container. Assess the compatibility of the container to be used with the product, verifying section 10. Absorb the remainder with inert absorbent material.

Ensure adequate ventilation of the place affected by the loss.

Verify the compatibility of containers' material in section 7.

The disposal of contaminated material must be made in accordance with section 13.

### 6.4 Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## 7 HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Handle the product after consultation with all other sections of the sheet. Avoid dispersal into the environment. Do not eat, nor drink, nor smoke while handling it. Remove contaminated clothing and equipment before entering eat areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep the product only in its original containers.

Keep containers well sealed, in a ventilated and dry place, far away from sources of ignition.

Keep containers away from any incompatible materials, see section 10 for details.

### 7.3 Specific end use(s)

Information not available.

**MURANO SILVER/GOLD/BRONZ****8 EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

|    |           |                                                                                          |
|----|-----------|------------------------------------------------------------------------------------------|
| EU | OEL EU    | Directive 2009/161/UE; Directive 2006/15/CE; Directive 2004/37/CE; Directive 2000/39/CE. |
|    | TLV-ACGIH | ACGIH 2014                                                                               |

**CALCIUM CARBONATE****Threshold limit value**

| Tipo      | Stato | TWA/8h<br>mg/m <sup>3</sup> | ppm | STEL/15min<br>mg/m <sup>3</sup> | ppm |         |
|-----------|-------|-----------------------------|-----|---------------------------------|-----|---------|
| TLV-ACGIH |       | 10                          |     |                                 |     | inalab. |
| TLV-ACGIH |       | 3                           |     |                                 |     | respir. |

**HYDRATED LIME****Threshold limit value**

| Type                                                           | State | TWA/8h<br>mg/m <sup>3</sup> | ppm | STEL/15min<br>mg/m <sup>3</sup> | ppm |         |
|----------------------------------------------------------------|-------|-----------------------------|-----|---------------------------------|-----|---------|
| OEL                                                            | EU    | 1                           |     | 4                               |     | respir. |
| TLV-ACGIH                                                      |       | 5                           |     |                                 |     |         |
| Expected concentration of no effect on the environment - PNEC. |       |                             |     |                                 |     |         |
| Reference value in fresh water                                 |       |                             |     | 490                             |     | mg/l    |
| Reference value for the terrestrial compartment                |       |                             |     | 1080                            |     | mg/l    |

Legend:

(C) = CEILING ; INALAB = inhalable fraction ; RESPIR = Respirable fraction ; TORAC = Thoracic fraction.

VND = identified hazard but no DNEL/PNEC available; NEA = no expected exposure;

NPI = no hazard identified.

**8.2 Exposure controls**

As the use of adequate technical equipment must always take priority over personal protection equipment, ensure good ventilation in the workplace through effective local aspiration. For the selection of personal protective equipment, if necessary, request advice from your chemical substance suppliers.

The personal protective equipment must bear the CE marking attesting to their compliance with applicable regulations. Provide emergency shower with a pan for face and eyes.

**HAND PROTECTION**

Protect your hands with work gloves, category III (ref. standard EN 374). Final selection of the material of the gloves must be considered: compatibility, degradation, breakage times and permeation. In the case of preparations the resistance of protective gloves to chemicals should be checked before use, as expected. The gloves' limit depends on the duration and method of use.

**SKIN PROTECTION**

Wear work clothes with long sleeves and safety footwear for professional use category II (ref. Directive 89/686/EEC and law EN ISO 20344). Wash with soap and water after removing protective clothing.

**EYE PROTECTION**

We recommend wearing hood visor or protective visor together with airtight goggles (ref. law EN 166).

**RESPIRATORY PROTECTION**

In case of exceeding the threshold value (i.e. TLV-TWA) of the substance or one or more of the substances present in the product, you should wear a mask with a filter of type A and its class (1, 2 or 3) must be chosen according to the limit concentration of use (ref. law EN 14387).

In the case there are gases or vapors of a different nature and/or gases or vapors with particles (aerosols, fumes, mists, etc.) it is necessary to consider combined type of filters. The use of respiratory protective equipment is necessary in case of the technical measures taken are not sufficient to limit the exposure of the worker to the threshold values considered.

The protection provided by masks is anyway limited. In the case where the substance in question is odorless or its olfactory threshold is higher than the related TLV-TWA, and in case of emergency, wear a compressed air breathing apparatus with an open circuit (ref. law EN 137) or a respirator in an external air socket (ref. law EN 138). For the correct choice of respiratory protection device, refer to law EN 529.

**ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

**MURANO SILVER/GOLD/BRONZ**

---

**9 PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

|                                         |                  |
|-----------------------------------------|------------------|
| Appearance                              | Paste            |
| Colour                                  | White            |
| Odour                                   | Distinctive      |
| Odour threshold                         | Not available    |
| pH                                      | Not available    |
| Melting point / freezing point          | Not available    |
| Initial boiling point                   | Not available    |
| Boiling range                           | Not available    |
| Flash point                             | > 60 °C          |
| Evaporation rate                        | Not available    |
| Flammability (solid, gas)               | Not available    |
| Lower inflammability limit              | Not available    |
| Upper inflammability limit              | Not available    |
| Lower explosive limit                   | Not available    |
| Upper explosive limit                   | Not available    |
| Vapour pressure                         | Not available    |
| Vapour density                          | Not available    |
| Relative density                        | Not available    |
| Solubilità                              | Mixable in water |
| Partition coefficient:: n-octanol/water | Not available    |
| Auto-ignition temperature               | Not available    |
| Decomposition temperature               | Not available    |
| Viscosity                               | Not available    |
| Explosive properties                    | Not available    |
| Oxidising properties                    | Not available    |

**9.2 Other information not available****10 STABILITY AND REACTIVITY****10.1 Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

**10.2 Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3 Possibility of hazardous reactions**

No hazardous reactions are foreseeable in normal conditions of use and storage.

Hydrated lime reacts esothermically with acids. If heated to more than 580°C, it decomposes to form calcium oxide (CaO) and water (H<sub>2</sub>O). Calcium oxide reacts with water and generates heat.

**10.4 Conditions to avoid**

Prevent the accumulation of dust in the environment.

Conditions of moisture during storage may cause lump formation and loss of product quality.

**10.5 Incompatible materials**

Hydrated lime reacts exothermically with aluminium and with the brass, thus forming hydrogen.

**10.6 Hazardous decomposition products**

When heated or in case of fire can release gases and vapors potentially dangerous to health.

**MURANO SILVER/GOLD/BRONZ****11 TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects**

In the absence of experimental toxicological data on the product itself, the possible health hazards of the product were evaluated based on the properties of the substances contained, according to the criteria laid down by the relevant regulations for the classification.

Therefore, consider the concentration of each hazardous substances possibly mentioned in sect. 3, to assess toxicological effects resulting from exposure to the product.

The product causes serious eye injury and may cause corneal opacity, iris lesions, irreversible eye coloration.

Acute effect: contact with skin may cause irritation, erythema, edema, dryness and chapped skin.

Ingestion may cause health disorders, including stomach pain and sting, nausea and vomiting.

Calcium carbonate

LD50 (Oral) > 6450 mg/kg Rats

Hydrated lime

LD50 (Oral) > 2000 mg/kg Rats (OECD 425)

LD50 (Cutaneous) > 2500 mg/kg Rabbit (OECD 402)

**12 ECOLOGICAL INFORMATION**

Use this product according to good working practices, avoiding the release of the product in the environment. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

**12.1 Toxicity**

HYDRATED LIME

LC50 - Fish > 50.6 mg/l/96h Freshwater fish

EC50 - Shellfish > 49.1 mg/l/48h

EC50 - Algae / Water plants > 184.57 mg/l/72h

**12.2 Persistence and degradability**

Information not available

**12.3 Bioaccumulative potential**

Information not available

**12.4 Mobility in soil**

Information not available

**12.5 Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%

**12.6 Other adverse effects**

Information not available

**13 DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Reuse, when possible. Neat product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**MURANO SILVER/GOLD/BRONZ****14 TRANSPORT INFORMATION****14.1 ONU number**

Not applicable.

**14.2 ONU shipping name**

Not applicable.

**14.3 Hazard classes connected to shipping**

Not applicable.

**14.4 Packaging group**

Not applicable.

**14.5 Environmental hazards**

Not applicable.

**14.6 Special precautions for users**

Not applicable.

**14.7 Shipping of bulk according to MARPOL 73/78 annex and the IBC code**

No relevant information.

**15 REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Seveso Category: NoneRestrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006Product: Point 3Substances in Candidate List (Art. 59 REACH): NoneSubstances subject to authorisation (Annex XIV REACH): NoneSubstances subject to exportation reporting pursuant to (EC) Reg. 649/2012: NoneSubstances subject to the Rotterdam Convention: NoneSubstances subject to the Stockholm Convention: NoneHealthcare controls

Workers exposed to this chemical agent to health must undergo health checks according to the provisions of art. 41 of Legislative Decree n. 81 of April 9th 2008, unless the risk for the safety and health of the worker has been assessed irrelevant, according to art. 224 paragraph 2.

**15.2 Chemical safety assessment**

No chemical safety assessment has been processed for the mixture and the substances it contains.

**16 OTHER INFORMATIONS**

Text of indications of hazard H) mentioned in section 2-3 of the sheet:

Eye Dam. 1

Serious eye damage category 1

Skin Irrit. 2

Skin irritation, category 2

STOT SE

Specific target organ toxicity - single exposure, category 3

H318

It causes serious eye damage

H315

It causes skin irritation

H335

It can cause respiratory irritation

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)

- CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

- DNEL: Derived No Effect Level

- EmS: Emergency Schedule

- GHS: Globally Harmonized System of classification and labeling of chemicals

- IATA DGR: International Air Transport Association Dangerous Goods Regulation

- IC50: Immobilization Concentration 50% of the population subject to test

# MURANO SILVER/GOLD/BRONZ

---

- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

1. Directive 1999/45/EC and following amendments
2. Directive 67/548/EEC and following amendments and adjustments
3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
6. Regulation (EC) 453/2010 of the European Parliament
7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
8. Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament
9. The Merck Index. - 10th Edition
10. Handling Chemical Safety
11. Niosh - Registry of Toxic Effects of Chemical Substances
12. INRS - Fiche Toxicologique (toxicological sheet)
13. Patty - Industrial Hygiene and Toxicology
14. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
15. ECHA website

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version.

Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations.

The producer is relieved from any liability arising from improper uses.

#### BeriCalce S.r.l.

Via Piave, 23 - 36033 Isola Vicentina (VI)

Tel. +39 (0)444 929102

info@bericalce.com

bericalce.com