

SAFETY DATA SHEET 88

# LAMINA VARNISH

---

## 1 IDENTIFICATION OF THE MIXTURE AND THE COMPANY

### 1.1 Product identifier

Product name LAMINA VARNISH

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Description/Application Water dispersion of synthetic polymers

### 1.3 Details of the supplier of the safety data sheet

Name: BERICALCE di De Toni Michael  
 Full address: Via O. da Pordenone n.18 - 36100 Vicenza - Italia  
 Phone: +39 0444 929102 +39 0444 923317  
 Fax: +39 0444 929102  
 E-mail address of the competent person responsible to the Safety Data Sheet info@bericalce.it

### 1.4 Emergency telephone number

For urgent inquiries refer to SANITARY EMERGENCY

## 2. HAZARD IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product is classified as hazardous according to the provisions of Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and adaptations). The product thus requires a safety data sheet that complies with the provisions of Regulation (EC) n. 1907/2006 and subsequent amendments. Further information on the risks to health and/or the environment are given in sec. 11 and 12 of this sheet.

Hazard classification and indication:

### 2.2 Label elements

Danger labeling under Regulation (EC) 1272/2008 (CLP) and subsequent amendments.

Pictograms of danger: -

Warnings: -

Hazard:  
 EUH210 Safety data sheet available on request.  
 EUH208 Contains: 1,2-benzisothiazol-3(2H)-one: May produce an allergic reaction. reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1): May produce an allergic reaction.

Safety advice: -

# LAMINA VARNISH

---

## 2.3 Other dangers

Based on available data, the product does not contain any PBT or vPvB substances as more than 0,1%

## 3 COMPOSITION / INFORMATION ON INGREDIENTS

### 3.1 Substance

No relevant information.

### 3.2 Mixtures

It contains:

Hazardous components within the meaning of the CLP regulation and related classification:

$\geq 0.005\%$  -  $< 0.01\%$  1,2-benzisotiazol-3(2H)-one

CAS: 2634-33-5, EC: 220-120-9

$\geq 0.00015\%$  -  $< 0.0015\%$  reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

Index number: 613-167-00-5, CAS: 55965-84-9

## 4 FIRST AID MEASURES

### 4.1 Description of first aid measures

EYES: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wash immediately with water for at least 10 minutes.

SKIN: Wash with plenty of water and soap.

INGESTION: A suspension of activated charcoal in water, or petroleum jelly may be administered.

Wash the mouth thoroughly and drink plenty of water. In case of disease consult a physician immediately and present this safety-data sheet.

INHALATION: Remove casualty to fresh air and keep warm and at rest.

### 4.2 Most important symptoms and effects, both acute and delayed.

There are no specific information on symptoms and effects caused by the product.

### 4.3 Indication of any immediate medical attention and special treatment needed.

Information not available.

## 5 FIREFIGHTING MEASURES

### 5.1 Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

None in particular.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2 Special hazards arising from the substance or mixture

The product does not present a fire hazard. Do not inhale explosion and combustion gases. The original ingredients or unidentified toxic and/or irritant compounds may be present in the combustion fumes.

### 5.3 Advice for firefighters

Use suitable breathing apparatus. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

# LAMINA VARNISH

---

## 6 ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment and remove persons to safety (see section 7 and 8).

### 6.2 Environmental precautions

Limit leakages with earth or sand. Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Suitable material for taking up: absorbing material, organic, sand.

### 6.3 Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand. Wash with plenty of water. Retain contaminated washing water and dispose it.

### 6.4 Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## 7 HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working. See also section 8 for recommended protective equipment. Fine dust may form explosive mixture with air. Keep away from open flames, heat and sparks. Do not remove shrink film in hazardous locations (because of risk of static charging/discharge)

### 7.2 Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed. Incompatible materials: none in particular. Instructions as regards storage premises: adequately ventilated premises. Store above 5°C.

### 7.3 Specific end use(s)

Information not available.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

No occupational exposure limit available

### 8.2 Exposure controls

Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

#### HAND PROTECTION

Not needed for normal use.

#### SKIN PROTECTION

No special precaution must be adopted for normal use.

#### EYE PROTECTION

Not needed for normal use. Anyway, operate according good working practices.

#### RESPIRATORY PROTECTION

Not needed for normal use. In case of insufficient ventilation use mask with B type filters (EN 14387).

#### ENVIRONMENTAL EXPOSURE CONTROLS

None

**LAMINA VARNISH****9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Appearance	liquid
Colour	white
Odour	characteristic
Odour threshold	Not available
pH	Not available
Melting point / freezing point	Not available
Initial boiling point	100 °C
Boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	1,06 g/cm <sup>3</sup> (23°C)
Solubility	Soluble in water
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidising properties	Not available

**9.2 Other information not available****10 STABILITY AND REACTIVITY****10.1 Reactivity**

Stable under normal conditions.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

None

**10.4 Conditions to avoid**

Stable under normal conditions.

**10.5 Incompatible materials**

None in particular.

**10.6 Hazardous decomposition products**

None.

# LAMINA VARNISH

---

## 11 TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Route(s) of entry:

Ingestion: Yes

Inhalation: No

Contact: No

Toxicological information related to the product:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 53 mg/kg

Test: LC50 - Route: Inhalation Dust - Species: Rat 330 mg/m<sup>3</sup> - Duration: 4h

Test: LC50 - Route: Inhalation - Species: Rat 2.36 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rabbit 660 mg/kg

Corrosive/Irritating Properties

Eye: The product can cause a temporary irritation by contact.

Sensitizing Properties

No effects are known.

Cancerogenic Effects

No effects are known.

Mutagenic Effects

No effects are known.

Teratogenic Effects

No effects are known.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity

b) skin corrosion/irritation

c) serious eye damage/irritation

d) respiratory or skin sensitisation

e) germ cell mutagenicity

f) carcinogenicity

g) reproductive toxicity

h) STOT-single exposure

i) STOT-repeated exposure

j) aspiration hazard

# LAMINA VARNISH

---

## 12 ECOLOGICAL INFORMATION

### 12.1 Toxicity

Adopt good industrial practices, so that the product is not released into the environment.

Not available data on the mixture

Aquatic toxicity: the preparation is not to be considered toxic to the aquatic environment based on components.

LC50>100mg/l - aquatic species (calculated data following 1999/45/EC Directive).

Biodegradability: not readily biodegradable

Biodegradability: no data available on the preparation.

1,2-benzisotiazol-3(2H)-one - CAS: 2634-33-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 4.8 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 1.6 mg/l - Duration h: 96

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 0.16 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish = 0.19 mg/l - Duration h: 96

### 12.2 Persistence and degradability

Information not available

### 12.3 Bioaccumulative potential

Information not available

### 12.4 Mobility in soil

Information not available

### 12.5 Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%

### 12.6 Other adverse effects

Information not available

## 13 DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Reuse, when possible. Neat product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# LAMINA VARNISH

---

## 14 TRANSPORT INFORMATION

### 14.1 ONU number

Not applicable.

### 14.2 ONU shipping name

Not applicable.

### 14.3 Hazard classes connected to shipping

Not applicable.

### 14.4 Packaging group

Not applicable.

### 14.5 Environmental hazards

Not applicable.

### 14.6 Special precautions for users

Not applicable.

### 14.7 Shipping of bulk according to MARPOL 73/78 annex and the IBC code

No relevant information.

## 15 REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Dir. 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 453/2010 (Annex I)

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: no restriction.

Restrictions related to the substances contained: no restriction.

Legislative Decree no. 81 of the 9th of April 2008 Title XI "Dangerous substances - Chapter I - Protection against chemical agents"

### 15.2 Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

## 16 OTHER INFORMATIONS

Text of indications of hazard H) mentioned in section 2-3 of the sheet:

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H315 Causes skin irritation.

# LAMINA VARNISH

---

- H317 May cause an allergic skin reaction.
- H314 Causes severe skin burns and eye damage.
- H410 Very toxic to aquatic life with long lasting effects.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H331 Toxic if inhaled.

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

1. Directive 1999/45/EC and following amendments
2. Directive 67/548/EEC and following amendments and adjustments
3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
6. Regulation (EC) 453/2010 of the European Parliament
7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
8. Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament
9. The Merck Index. - 10th Edition
10. Handling Chemical Safety
11. Niosh - Registry of Toxic Effects of Chemical Substances
12. INRS - Fiche Toxicologique (toxicological sheet)
13. Patty - Industrial Hygiene and Toxicology
14. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
15. ECHA website



# **LAMINA VARNISH**

---

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version.

Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations.

The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

## **BeriCalce ITALIA**

Via Odorico da Pordenone, 18 - 36100 Vicenza - ITALIA

Tel./Fax (+39) 0444 929102 - Tel. (+39) 0444 923317

Skype: bericalce - info@bericalce.com

**bericalce.com**